

# The Competition - Kit Parts Checklist

(by location)

## Gray Container - Bearing Bag

✓	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	2 Bolt Self Aligning Flange	Fits 1/2" Bearing	Bearings	8	The Torrington Company
<input type="checkbox"/>	Pillow Block	1/2"	Bearings	2	The Torrington Company
<input type="checkbox"/>	Radial Ball Bearing With Spherical O.D.	1/2" I.D., Self Locking Collar	Bearings	4	The Torrington Company
<input type="checkbox"/>	Roller Clutch	3/8" I.D.	Bearings	2	The Torrington Company
<input type="checkbox"/>	Single Row Radial Flanged Ball Bearing	1/4" I.D.	Bearings	4	The Torrington Company
<input type="checkbox"/>	Single Row Radial Flanged Ball Bearing	3/8" I.D.	Bearings	4	The Torrington Company

## Gray Container - Hardware Bag

✓	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	5 Minute Epoxy Gel	Resealable 1 oz. Dual Syringe	Fasteners	1	Kaman Industrial Technologies
<input type="checkbox"/>	Compression Spring	0.600" O.D. x 3.5 " Long	Springs	2	Associated Spring Raymond
<input type="checkbox"/>	Constant Force Spring, Large	2.26" I.D.	Springs	2	Associated Spring Raymond
<input type="checkbox"/>	Constant Force Spring, Medium	0.85" I.D.	Springs	2	Associated Spring Raymond
<input type="checkbox"/>	Constant Force Spring, Small	0.34" I.D.	Springs	2	Associated Spring Raymond
<input type="checkbox"/>	Double Magnet Cabinet Catch		Small Parts	1	Stanley Hardware
<input type="checkbox"/>	Extension Spring	0.500" O.D. x 2.500" Long	Springs	2	Associated Spring Raymond
<input type="checkbox"/>	Flat Washers	1/4" I.D., 7/8" O.D.	Small Parts	4	Fastenal Company
<input type="checkbox"/>	Flexible Shaft Coupling	Black	Small Parts	2	DEKA
<input type="checkbox"/>	Folding Table Brace	9-1/2" Brass plated	Small Parts	1	Stanley Hardware
<input type="checkbox"/>	Gate Latch	Steel/Zinc Plated	Small Parts	1	Stanley Hardware
<input type="checkbox"/>	Helical Plastic Wire Wrap	1/4" Ø x 24"	Fasteners	1	Tyton Hellermann
<input type="checkbox"/>	Hex Nuts	1/4" I.D., 20 Pitch Coarse	Small Parts	8	Fastenal Company
<input type="checkbox"/>	Magnet	1/4-20 Plastic Thread	Small Parts	4	Honeywell - Microswitch
<input type="checkbox"/>	Pivot	5/16" Ø	Small Parts	2	Stanley Hardware
<input type="checkbox"/>	Pulley With Fixed Eye	1" Ø, For 5/16" Rope	Sprockets & Pulleys	3	Stanley Hardware
<input type="checkbox"/>	Roller Guide	7/8" Ø x 1/4" Wheel	Small Parts	2	Stanley Hardware
<input type="checkbox"/>	Screen Door Catch	Zinc-Plated	Small Parts	1	Stanley Hardware
<input type="checkbox"/>	Snugger	Spring With Plastic Guide	Springs	2	Stanley Hardware
<input type="checkbox"/>	Spring Loaded Hinge	4" x 4", 30 in/lb Maximum	Springs	2	Stanley Hardware
<input type="checkbox"/>	Torsion Spring, Left Hand	210 Degrees, 0.500" Dia	Springs	1	Associated Spring Raymond
<input type="checkbox"/>	Torsion Spring, Right Hand	210 Degrees, 0.500" Dia	Springs	1	Associated Spring Raymond

## Gray Container - Loose

✓	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	1 Conductor Wire	10', #6 AWG, Black	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	1 Conductor Wire	10', #6 AWG, Red	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	1 Conductor Wire	35', #10 AWG, Black	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	1 Conductor Wire	35', #10 AWG, Red	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	2 Conductor Jacketed Wire	30', #24 AWG	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	2 Conductor Jacketed Wire	35', #16 AWG	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	3 Conductor Shielded Wire	30', #24 AWG	Control System	1	General Cable Company Inc.
<input type="checkbox"/>	Aluminum Plate	1/4" x 3" x 12"	Sheets & Boards	1	Cohen Steel Supply Inc.
<input type="checkbox"/>	Aluminum Sheet	1/16" x 12" x 12"	Sheets & Boards	1	Cohen Steel Supply Inc.
<input type="checkbox"/>	Carpet Sample	12" x 12", 20 oz., Closed Loop	Other	1	FIRST
<input type="checkbox"/>	Channel For Tape Drive	28" Long	Small Parts	4	Delphi Interior and Lighting
<input type="checkbox"/>	Co-Polymer Gutter Guard	6" x 24"	Other	1	Home Depot
<input type="checkbox"/>	Drill Housing, Right and Left Half	Holds Motor, Gearbox, Battery	Motors & Pumps	3	Emerson Electric
<input type="checkbox"/>	Fisher-Price 10 Web Jeep Driver	Black	Motors & Pumps	2	Fisher-Price, Inc.

# The Competition - Kit Parts Checklist

(by location)

<input type="checkbox"/>	Fisher-Price Axle	7/16" Ø x 26"	Motors & Pumps	1	Fisher-Price, Inc.
<input type="checkbox"/>	Fisher-Price Motor/Gearbox	two 12 Vdc motors, switches	Motors & Pumps	1	Fisher-Price, Inc.
<input type="checkbox"/>	Flexible Motor Shaft	13.5" Long, Fits Seat Motor	Rods & Shafts	2	Grand Rapids Controls
<input type="checkbox"/>	Folding Table Leg Brace, Left Hand	Heavy Duty Leg Brace	Other	1	Stanley Hardware
<input type="checkbox"/>	Folding Table Leg Brace, Right Hand	Heavy Duty Leg Brace	Other	1	Stanley Hardware
<input type="checkbox"/>	Globe Motor with Drive Assembly	12Vdc	Motors & Pumps	2	Globe Motors
<input type="checkbox"/>	Ground Plane Assembly	12" x 12" with BNC Bulkhead	Control System	1	FIRST
<input type="checkbox"/>	Kee Industrial Caster Catalog		Documentation	1	Kee Industrial Products
<input type="checkbox"/>	Kee Klamp Pipe Fitting Catalog		Documentation	1	Kee Industrial Products
<input type="checkbox"/>	Latex Tubing	1/4" I.D., 3/8" O.D., 5'	Springs	1	Gulf South Medical Supply
<input type="checkbox"/>	LDPE Rod	1" Ø x 24"	Rods & Shafts	1	Plastic Supply Inc.
<input type="checkbox"/>	Lead Screw	18.75" Long	Rods & Shafts	1	Kerk Motion Products, Inc.
<input type="checkbox"/>	Lower Channel for Seat Positioning Unit	2.25" x 17" Channel	Small Parts	1	Lear Corporation
<input type="checkbox"/>	Quick-Disconnect Power Connector	#10 AWG Red/Black Wire	Control System	1	Anderson Power Products
<input type="checkbox"/>	Quick-Disconnect Power Connector	#6 AWG Red/Black Wire	Control System	2	Anderson Power Products
<input type="checkbox"/>	Rubber Sheet, Red	1/16" x 6" x 6"	Sheets & Boards	1	FIRST
<input type="checkbox"/>	Seat Motor	12 Vdc	Motors & Pumps	1	ITT Automotive
<input type="checkbox"/>	Van Door Motor - Bosch	12 Vdc, 75 RPM	Motors & Pumps	1	Delphi Interior and Lighting
<input type="checkbox"/>	Van Door Motor - Tiagene	12 Vdc, 75 RPM	Motors & Pumps	1	Delphi Interior and Lighting
<input type="checkbox"/>	Wheelchair Wheel	6" Ø, 5/16" I.D. Bearings, 1-1/2"	Small Parts	2	Skyway Recreation Products
<input type="checkbox"/>	Wheelchair Wheel	8" Ø, 5/16" I.D. Bearings, 1-1/2"	Small Parts	2	Skyway Recreation Products
<input type="checkbox"/>	Wiring Harness For Receiver Relay Power	1', #10 AWG, Red and Black	Control System	1	Nova Biomedical/Amp Inc.
<input type="checkbox"/>	Wiring Harness For Seat Motor	5', #16 AWG	Control System	1	Nova Biomedical/Pioneer
<input type="checkbox"/>	Wiring Harness For Window Motor	5', #16 AWG	Control System	2	Nova Biomedical/Pioneer
<input type="checkbox"/>	Yaw Rate Sensor		Control System	2	BEI Systron Donner

## Gray Container - Seat Positioning Unit Bag

<input checked="" type="checkbox"/>	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	Flange Nut for Seat Positioning Unit	M6 x 1.0 Pitch	Small Parts	4	Lear Corporation
<input type="checkbox"/>	Hex Head Bolt for Seat Positioning Unit	M6 x 1.0 Pitch x 30mm	Small Parts	2	Lear Corporation
<input type="checkbox"/>	Horiz. Act. for Seat Positioning Unit, Left	Natural Color	Small Parts	1	Lear Corporation
<input type="checkbox"/>	Upper Channel for Seat Positioning Unit	1.3125" x 9.875" Channel with	Small Parts	1	Lear Corporation

## Gray Container - Tube

<input checked="" type="checkbox"/>	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	Aluminum Rod	1/2" Ø x 24"	Rods & Shafts	2	Cohen Steel Supply Inc.
<input type="checkbox"/>	Brazing Rod	1/16" Ø x 18"	Rods & Shafts	1	FIRST
<input type="checkbox"/>	Brazing Rod	1/8" Ø x 18"	Rods & Shafts	1	FIRST
<input type="checkbox"/>	Delrin (Acetal) Rod	1/4" Ø x 20"	Rods & Shafts	1	Plastic Supply
<input type="checkbox"/>	Drill Rod	1/2" Ø x 18"	Rods & Shafts	2	Cohen Steel Supply Inc.
<input type="checkbox"/>	Drill Rod	1/4" Ø x 18"	Rods & Shafts	2	Cohen Steel Supply Inc.
<input type="checkbox"/>	Drill Rod	3/8" Ø x 18"	Rods & Shafts	2	Cohen Steel Supply Inc.
<input type="checkbox"/>	Drill Rod	5/16" Ø x 18"	Rods & Shafts	2	Cohen Steel Supply Inc.
<input type="checkbox"/>	Threaded Rod	1/4" Ø x 18", 20 Pitch Coarse	Rods & Shafts	1	FIRST

## Gray Container - Window Lift Mechanism Bag

<input checked="" type="checkbox"/>	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	Window Lift Bracket, Left Hand	Color Natural	Small Parts	1	Delphi Interior and Lighting
<input type="checkbox"/>	Window Lift Bracket, Right Hand	Color Natural	Small Parts	1	Delphi Interior and Lighting
<input type="checkbox"/>	Window Lift Gear	Use with Window Tape,	Small Parts	2	Delphi Interior and Lighting
<input type="checkbox"/>	Window Lift Guide Drive	Use with Guide, Channel,	Small Parts	8	Delphi Interior and Lighting

# The Competition - Kit Parts Checklist

(by location)

<input type="checkbox"/>	Window Lift Guide, Left Hand	Attach to Triangular Mount,	Small Parts	1	Delphi Interior and Lighting
<input type="checkbox"/>	Window Lift Guide, Right Hand	Attach to Triangular Mount,	Small Parts	1	Delphi Interior and Lighting
<input type="checkbox"/>	Window Lift Mechanism Tape	16' Length	Small Parts	1	Dymetrol Company, Inc.
<input type="checkbox"/>	Window Lift Mechanism Washer	Fits over Flanged Bushing	Control System	2	Fastenal Company
<input type="checkbox"/>	Window Lift Triangular Mount	White, Window Lift Mechanism	Small Parts	2	St. Clair Plastics Company
<input type="checkbox"/>	Window Motor Bushing	5/16" I.D. x 1/2" Long	Bearings	2	Stock Drive Products
<input type="checkbox"/>	Window Motor, Left Hand	12 Vdc, 12 Tooth Pinion, 16	Motors & Pumps	1	ITT Automotive
<input type="checkbox"/>	Window Motor, Right Hand	12 Vdc, 12 Tooth Pinion, 16	Motors & Pumps	1	ITT Automotive

## Green Container - Drill Bag

<input checked="" type="checkbox"/>	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	Drill Drive Assembly	225 in. lbs Maximum Torque	Motors & Pumps	2	S-B Power Tool Company
<input type="checkbox"/>	Drill Housing Cover	w/ Shift Lever	Small Parts	2	S-B Power Tool
<input type="checkbox"/>	Drill Housing Screws	#4 x 3/4, Pan Head - Phillips	Fasteners	10	Fastenal Company
<input type="checkbox"/>	Drill Motor	12 Vdc	Motors & Pumps	2	S-B Power Tool

## Green Container - Electronics Bag

<input checked="" type="checkbox"/>	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	2 Pin Logic Power Connector	Black, European Style Header	Control System	1	Thomas & Betts Corp.
<input type="checkbox"/>	25 Pin Male D-Sub Solder Cup Connector	25 Pin Male D-Sub Solder Cup	Control System	2	AMP Incorporated
<input type="checkbox"/>	8 Pin Relay Output Connector	Black, 8 Position European	Control System	2	Thomas & Betts Corp.
<input type="checkbox"/>	Antenna, Helical UHF	3" Long	Control System	2	Motorola
<input type="checkbox"/>	Attenuator		Control System	1	Mini-Circuit
<input type="checkbox"/>	BASIC Stamp Programming Disk	3.5" HD Floppy	Documentation	1	Parallax, Inc.
<input type="checkbox"/>	Battery Fuse	60 A, Maxi-Fuse	Control System	1	Bussmann
<input type="checkbox"/>	Battery Fuse Holder	Maxi-Fuse, 6 AWG leads	Control System	1	Bussmann
<input type="checkbox"/>	BNC Bulkhead Connector	BNC Male to Male, insulated	Control System	1	Brevan Electronics
<input type="checkbox"/>	BNC Coax Cable	6' BNC Female to Female	Control System	2	Brevan Electronics
<input type="checkbox"/>	BNC Right Angle Connector	BNC Male to Female	Control System	1	Brevan Electronics
<input type="checkbox"/>	Cable Tie Mounting Base	Self-Adhesive, #8 Holes	Fasteners	10	Thomas & Betts Corp.
<input type="checkbox"/>	Capacitor, Drive Motor Noise Suppression	0.1 µF, 50 V Ceramic Molded	Motors & Pumps	4	KEMET Electronics
<input type="checkbox"/>	Circuit Breaker For Motors	30 amp, 12 volt, Auto-Resetting	Control System	12	Snap-Action, Inc.
<input type="checkbox"/>	Control Program Source Code	3.5" HD Floppy	Documentation	1	FIRST
<input type="checkbox"/>	Diode	1 Amp, Maximum	Control System	2	Digi-Key Corporation
<input type="checkbox"/>	Heat Shrink Tubing	1/4"Ø x 3", Black, 2:1 Shrink	Control System	1	Raychem Corporation
<input type="checkbox"/>	Heat Shrink Tubing	1/8"Ø x 4", Black, 2:1 Shrink	Control System	1	Raychem Corporation
<input type="checkbox"/>	Heat Shrink Tubing	3/4"Ø x 3", Black, 2:1 Shrink	Control System	1	Raychem Corporation
<input type="checkbox"/>	Heat Shrink Tubing	3/8"Ø x 5", Black, 2:1 Shrink	Control System	1	Raychem Corporation
<input type="checkbox"/>	Knob for Potentiometer	1" Hexagon, Fits 1/4" Shaft	Control System	2	Radio Shack
<input type="checkbox"/>	Latching Pushbutton Switch		Control System	2	Honeywell - Microswitch
<input type="checkbox"/>	LED, Panel Mount	Amber, 5V	Control System	1	Chicago Miniature Lamp, Inc.
<input type="checkbox"/>	LED, Panel Mount	Green, 12V	Control System	4	Chicago Miniature Lamp, Inc.
<input type="checkbox"/>	LED, Panel Mount	Red, 12V	Control System	4	Chicago Miniature Lamp, Inc.
<input type="checkbox"/>	Limit Switch		Control System	10	Honeywell - Microswitch
<input type="checkbox"/>	Momentary Rocker Switch		Control System	8	Honeywell - Microswitch
<input type="checkbox"/>	Potentiometer	100KΩ, Linear	Control System	6	Bourns, Inc.
<input type="checkbox"/>	Pushbutton Switch Cover	Red	Control System	2	Honeywell - Microswitch
<input type="checkbox"/>	Reed Switch	Normally Open, Magnet	Control System	4	CP Clare
<input type="checkbox"/>	Ring Connector	# 6 Awg	Control System	7	
<input type="checkbox"/>	Rocker Switch Cover	Blue	Control System	1	Honeywell - Microswitch

# The Competition - Kit Parts Checklist

(by location)

<input type="checkbox"/>	Rocker Switch Cover	Green	Control System	1	Honeywell - Microswitch
<input type="checkbox"/>	Rocker Switch Cover	Red	Control System	1	Honeywell - Microswitch
<input type="checkbox"/>	Rocker Switch Cover	Split Red/Green	Control System	4	Honeywell - Microswitch
<input type="checkbox"/>	Rocker Switch Cover	Yellow	Control System	1	Honeywell - Microswitch
<input type="checkbox"/>	Servo	42 oz. in. Peak, 0.19 s/60°	Control System	2	Hitec RCD, Inc.
<input type="checkbox"/>	Servo Extension Cable	Hitec/JR-style, 36" Long	Control System	4	Hitec RCD, Inc.
<input type="checkbox"/>	Servo Y Cable	Hitec/JR-style, 24" Long	Control System	2	Hitec RCD, Inc.
<input type="checkbox"/>	Spade Connector	Female, 12-10 AWG, Yellow	Control System	10	Thomas & Betts Corp.
<input type="checkbox"/>	Spade Connector	Female, 16-14 AWG, Blue	Control System	10	Thomas & Betts Corp.
<input type="checkbox"/>	Spade Connector	Female, 22-18 AWG, Red	Control System	10	Thomas & Betts Corp.
<input type="checkbox"/>	Spade Connector	Male, 12-10 AWG, Yellow	Control System	10	Thomas & Betts Corp.
<input type="checkbox"/>	Spade Connector	Male, 16-14 AWG, Blue	Control System	10	Thomas & Betts Corp.
<input type="checkbox"/>	Spade Connector	Male, 22-18 AWG, Red	Control System	10	Thomas & Betts Corp.
<input type="checkbox"/>	Terminal Strip	Tubular, Double Screw	Control System	1	Thomas & Betts Corp.
<input type="checkbox"/>	Tether Adaptor	Black DB9 Female-Female	Control System	1	Brevan Electronics
<input type="checkbox"/>	Thermo-Plastic Shield for 25 Pin Connector	fits DB25 Connector	Control System	1	AMP Incorporated
<input type="checkbox"/>	Wire Nut	Wire Nut for Wire Sizes #18-10	Control System	10	Thomas & Betts Corp.

## Green Container - Loose

<input checked="" type="checkbox"/>	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	25 Pin Cable	DB25 Male to Female, 6'	Control System	1	Brevan Electronics
<input type="checkbox"/>	9 Pin Cable	DB9 Male to Female, 6'	Control System	3	Brevan Electronics
<input type="checkbox"/>	Air Pump	1/8HP, 12Vdc, 30psi, 1.3 CFM	Pneumatics	1	Gast Manufacturing, Inc.
<input type="checkbox"/>	BASIC Stamp Programming Manual		Documentation	1	Parallax, Inc.
<input type="checkbox"/>	Battery Charger	4 amp, for SLA Battery	Control System	1	Xenotronix or Associated
<input type="checkbox"/>	Battery, Sealed Lead Acid	12 Vdc, 17 Amp Hours	Control System	2	CSB Battery of America Corp
<input type="checkbox"/>	Caster, w/ Bolt Hole Mount	165 Pounds, swivel	Small Parts	2	Kee Industrial Products
<input type="checkbox"/>	Crimping Tool for Spade Connectors	Orange/Black Color	Tool	1	Thomas & Betts Corp.
<input type="checkbox"/>	Drill Housing	T-Handle Style Grip, Left/Right	Motors & Pumps	2	S-B Power Tool
<input type="checkbox"/>	Flightstick Joystick	7" Cable with Male DB15	Control System	2	CH Products
<input type="checkbox"/>	Muffin Fan	12 Vdc	Control System	1	EBM Industries
<input type="checkbox"/>	Numatrol Tubing	1/4" O.D., 1/8" I.D., 2'	Pneumatics	1	Numatics, Inc.
<input type="checkbox"/>	Operation & Maintenance Manual for Pump	For the Pneumatic Pump	Documentation	1	Gast Manufacturing, Inc.
<input type="checkbox"/>	Pneumatic Training Manual CD		Documentation	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	Power Supply	7.5 Vdc, 1.0 Amp max	Control System	1	Golden Pacific Electronics, Inc.
<input type="checkbox"/>	Project Box	Black	Control System	1	Serpac
<input type="checkbox"/>	Receiver	2.25" x 5.75" x 8.75"	Control System	1	FIRST
<input type="checkbox"/>	Speed Controller		Control System	2	Innovation FIRST
<input type="checkbox"/>	Speed Controller	7.2 - 12 Vdc, Reversing	Control System	2	Tekin Electronics, Inc.
<input type="checkbox"/>	Transmitter	1.75" x 5.50" 7.50"	Control System	1	FIRST
<input type="checkbox"/>	Volume Chamber		Pneumatics	1	SMC Pneumatics, Inc.

## Green Container - Miscellaneous Bag

<input checked="" type="checkbox"/>	Part Name/Description	Dimensions	Category	Qty /Kit	Product Supplier
<input type="checkbox"/>	9 - 15 Pin Cable	3' Long, DB9 F to HDB15 M	Control System	2	Brevan Electronics
<input type="checkbox"/>	Air Filter for the Pneumatic Pump	For the Pneumatic Pump	Pneumatics	1	Gast Manufacturing, Inc.
<input type="checkbox"/>	Cable Tie	11" x 0.14"	Fasteners	10	Thomas & Betts Corp.
<input type="checkbox"/>	Check Valve	1/8" Ø Barbs 75 psi max.,	Pneumatics	2	Air Logic
<input type="checkbox"/>	Drill Motor Mounting Flange Fastening	M4 x 5mm, Button Head 19	Fasteners	4	Fastenal Company
<input type="checkbox"/>	Fuse Panel	ATC, 6 fuseable, 12 unfused	Control System	2	Bussmann

# The Competition - Kit Parts Checklist

(by location)

<input type="checkbox"/>	Kent™ Connector Fitting	1/8" - 1/8" Barb	Pneumatics	2	Value Plastics, Inc.
<input type="checkbox"/>	Optical Sensor	Miniature DC Sensor, Blue	Control System	2	Honeywell - Microswitch
<input type="checkbox"/>	Trantorque Coupling	3/8" I.D., 3/4" O.D.	Small Parts	2	Small Parts, Inc.

## Green Container - Pneumatics Bag

✓	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	Air Cylinder	12" stroke, clevis/nose mount	Pneumatics	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	Air Cylinder	5" stroke, clevis/nose mount	Pneumatics	2	SMC Pneumatics, Inc.
<input type="checkbox"/>	Barbed Fitting	Fitting for valves	Pneumatics	9	SMC Pneumatics, Inc.
<input type="checkbox"/>	Barbed Fitting	For pressure switch	Pneumatics	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	Direct Valve	12 Vdc	Pneumatics	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	Double Solenoid Valve	12 Vdc	Pneumatics	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	One Touch Fitting	Fittings for cylinders	Pneumatics	8	SMC Pneumatics, Inc.
<input type="checkbox"/>	One Touch Fitting (mounted)	Fitting for Direct Valve	Pneumatics	2	SMC Pneumatics, Inc.
<input type="checkbox"/>	Polyurethane Tubing	4mm OD, Black, 10m Bundle	Pneumatics	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	Pressure Switch	12 Vdc	Pneumatics	1	SMC Pneumatics, Inc.
<input type="checkbox"/>	Single Solenoid Valve	12 Vdc	Pneumatics	2	SMC Pneumatics, Inc.

## Kick Off Check Out

✓	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	RNet 9600ssl, Programmable	High Density DB15 Female	Control System	2	Motorola

## Kick Off Check Out - Documentation

✓	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	Anderson Power Products Catalog	Catalog	Control System	1	Anderson Power Products

## Kick Off Check Out - Velcro Bag

✓	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	Velcro 1" Hook & Loop Tape	3' Length, Adhesive Backing	Fasteners	1	Velcro USA, Inc.
<input type="checkbox"/>	Velcro 1" One Wrap Tape	18" Lengths, Black	Fasteners	1	Velcro USA, Inc.
<input type="checkbox"/>	Velcro 5/8" One Wrap Tape	Black	Fasteners	1	Velcro USA, Inc.
<input type="checkbox"/>	Velcro Sticky Back Coins	5/8" Ø, 15 Sets Per Pack	Fasteners	15	Velcro USA, Inc.

## Shipped to Teams

✓	<u>Part Name/Description</u>	<u>Dimensions</u>	<u>Category</u>	<u>Qty /Kit</u>	<u>Product Supplier</u>
<input type="checkbox"/>	Connector for Yaw Rate Sensor	3 pin, 24 AWG x 12" cable	Control System	2	FIRST