


REVISIONS			
ZONE	REV	DESCRIPTION	DATE
1	ADDED "REV" COLUMN TO PARTS LIST	11/07/07	--
2	REMOVED ITEM 02 FM ASSY	11/11/07	
3	EDIT REV COLUMN. REV'S ON ITEM 03 & 08	11/21/07	
4	EDIT REV COLUMN. REV'S ON ITEM 03 & 08	12/05/07	
5	EDIT REV COLUMN. REV'S ON ITEM 03 & 08	12/06/07	
6	ADD ITEMS 23,24,25	12/11/07	
7	ADDED PARTS 26,27, & EDIT REV FOR SHT 19	12/31/07	

ITEM	QTY.	DESCRIPTION	DRAWING	REV	SHEET	ITEM
01	1	OVERPASS CENTER BASE PLATE	G08-0004	-	1	-W1
02	1	DIVIDER CENTER RAIL	G08-0004	-	16	-W16
03	2	OVERPASS MID SUPPORT	G08-0004	2	2	-W2
04	2	OVERPASS SECTION-1	G08-0004	-	3	-W3
05	2	OVERPASS SECTION-2	G08-0004	-	4	-W4
06	2	OVERPASS END BASE	G08-0004	-	5	-W5
07	4	OVERPASS END SUPPORT	G08-0004	2	6	-W6
08	3	OVERPASS GUARD RAIL	G08-0004	2	7	-W7
09	2	DIVIDER MID BASE PLATE	G08-0004	1	8	-W8
10	2	DIVIDER END BASE PLATE	G08-0004	-	9	-W10
11	2	DIVIDER MID POST	G08-0004	-	10	-W11
12	2	DIVIDER END POST	G08-0004	-	11	-W12
13	4	DIVIDER SHIELD	G08-0004	-	12	-P01
14	4	DIVIDER BOTTOM RAIL	G08-0004	-	13	-W13
15	4	DIVIDER MIDDLE RAIL	G08-0004	-	13	-38
16	2	DIVIDER TOP INNER RAIL	G08-0004	-	14	-W15
17	2	DIVIDER TOP OUTER RAIL	G08-0004	-	14	-W14
18	4	FENCE MID SUPPORT BASE PLATE	G08-0004	-	16	-W17
19	4	FENCE MID POST	G08-0004	-	17	-W19
20	4	FENCE END SUPPORT BASE PLATE	G08-0004	-	16	-W18
21	4	FENCE END POST	G08-0004	-	17	-48
22	16	FENCE RAIL	G08-0004	-	17	-49
23	1	DIVIDER CENTER PANEL	G08-0004	-	18	-51
24	6	DIVIDER COMMON PANEL	G08-0004	-	18	-52
25	2	DIVIDER CORNER PANEL	G08-0004	1	19	-53
26	8	FENCE POST/RAIL CONNECTOR	G08-0004	1	19	-55
27	8	Z CHANNEL	G08-0009	-	1	-1


7	IN HOUSE	JRR	12/07
6	IN HOUSE	JRR	12/07
5	IN HOUSE	JRR	12/07
4	IN HOUSE	JRR	11/07
REV.	FROM	BY	DATE
UNLESS OTHERWISE SPECIFIED			
TOLERANCE	PERPENDICULAR WITHIN	TITLE	
INCHES	PARALLEL	2008 FIELD OVERPASS ASSEMBLY	
FRACTION 1/64	FLAT OR STRAIGHT	MATERIAL	
CONCENTRIC T.I.R.			
RADII			
HOLES			
FSCM			
DATE	DATE	SCALE	CHECKED
JR2D2	08/09/07	1:50	-
SIZE	B	No. G08-0003	SHEET NO.
			1 of 1



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	1	MOVED HOLE FM PART 5 TO W2, CHD' TO 9/32" DIA.	11/21/07	--
	2	ADDED ITEM 8 SECTION C7 AND B7 CHG'D PARTS LIST QTY		
		MOVED HOLE SECTION C7. ADD HOLES-ITEM 5, SECTION A6 AND B7.	12/05/07	
ITEM	QTY.	DESCRIPTION	SHEET	PART NO.
4	2	OVERPASS MID SUPPORT BRACE	THIS	G08-0004-4
5	1	OVERPASS MID SUPPORT COLUMN	THIS	G08-0004-5
6	2	OVERPASS MID SUPPORT ARM	THIS	G08-0004-6
7	3	DIVIDER RECEIVER	THIS	G08-0004-7
8	3	OVERPASS CONNECTOR-2	4	G08-0004-13
.
.
D	AR	1 1/2"x.083 WALL 1020 HRS DOM TUBE	.	.

NOTE:
REMOVE ALL SHARP EDGES.


				FIRST					
2	IN HOUSE		JRR	12/07	200 Bedford Street, Manchester, N H. 03101 (603) 666-3906 ♦ FAX (603) 666-3907				
1	PROTOTYPE		JRR	11/07					
REV.	FROM	BY	DATE						
UNLESS OTHERWISE SPECIFIED					TITLE 2008 FIELD OVERPASS MID SUPPORT			MATERIAL	
TOLERANCE		PERPENDICULAR WITHIN .							
INCHES		PARALLEL							
FRAC. 1/2 1/64		FLAT OR STRAIGHT							
.01 .050		CONCENTRIC T.I.R.							
.001 .020		RADIUS ± 1/2 .		SURFACE FINISH		DRAWN BY			
.0001 .015		FSCM		SIZE		DATE		SCALE	
				B		08/09/07		1:8	
						No. G08-0004		CHECKED	
								DATE	
								—	
								SHEET NO.	
								2 of 19	





REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
-	-		-	--
ITEM	QTY.	DESCRIPTION	SHEET	PART NO.
9	2	OVERPASS RAIL	THIS	G08-0004-9
10	3	OVERPASS RUNG	THIS	G08-0004-10
.
D	AR	1 1/2"x.083 WALL 1020 HRS DOM TUBE	.	.

NOTE:
REMOVE ALL SHARP EDGES.

FIRST 200 Bedford Street, Manchester, N.H. 03101 (603) 666-3906 ♦ FAX (603) 666-3907				
TITLE 2008 FIELD OVERPASS SECTION 1			MATERIAL .	
DRAWN BY JR2D2	DATE 08/09/07	SCALE 1:8	CHECKED -	DATE -
SIZE B	No. G08-0004			SHEET NO. 3 of 19








REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED
	1	CHG'D PART 16, HOLE DIA FM 1#4" TO 9#32". 2 PLACES	11/07/07	--
	2	ADDED ITEM 18 SECTION D7. CHG'D PARTS LIST QTY	12/05/07	
ITEM	QTY.	DESCRIPTION	SHEET	PART NO.
16	1	OVERPASS END SUPPORT COLUMN	THIS	G08-0004-16
17	1	OVERPASS END SUPPORT ARM	THIS	G08-0004-17
18	2	OVERPASS CONNECTOR-2	4	G08-0004-13
.
.
.
D	.	1 1/2"x.083 WALL 1020 HRS DOM TUBE	.	.

NOTE:
REMOVE ALL SHARP EDGES.

2		IN HOUSE	JRR	12/07
1		IN HOUSE	JRR	11/07
REV.	FROM	BY	DATE	
UNLESS OTHERWISE SPECIFIED				
TOLERANCE		PERPENDICULAR WITHIN .		
INCHES		PARALLEL .		
FRAC. 1/2 - 1/64		FLAT OR STRAIGHT .		
.0		CONCENTRIC T.I.R. .		
.00		RADII : 1/2 .	SURFACE FINISH .	
.000		HOLES : 1/2 .		
		FSCM		
TITLE			MATERIAL	
DRAWN BY			DATE	
JR2D2			08/09/07	
SCALE			CHECKED	
1:8			-	
SIZE			DATE	
B			-	
No. G08-0004			SHEET NO.	
			6 of 19	





REVISIONS			
ZONE	REV	DESCRIPTION	DATE
	1	CHD' HOLE LOC. PART W7	11/21/07
	2	REMOVED ITEMS 19 & 20 FM SHEET, ADDED HOLES IN SECTIONS D5, D7	12/05/07


ITEM	QTY.	DESCRIPTION	SHEET	PART NO.
19	1	RAIL	THIS	G08-0004-19
.
.
.
.
D	.	1 1/2"x.083 WALL 1020 HRS DOM TUBE	.	.

NOTE:
REMOVE ALL SHARP EDGES.

					<div>FIRST</div> <div>200 Bedford Street, Manchester, N H. 03101 (603) 666-3906 ♦ FAX (603) 666-3907</div>					
2	IN HOUSE		JRR	05/07	TITLE <div>2008 FIELD OVERPASS GUARD RAIL</div>					
1	PROTOTYPE		JRR	11/07						
REV.	FROM	BY	DATE							
UNLESS OTHERWISE SPECIFIED					MATERIAL					
TOLERANCE		PERPENDICULAR WITHIN								
INCHES		PARALLEL								
FRACTION	1/64	FLAT OR STRAIGHT			DRAWN BY JR2D2					
.0		CONCENTRIC T.I.R.								
.00		RADIUS ± .								
.00		HOLES ± .			DATE 08/09/07		SCALE 1:8		CHECKED —	DATE —
.000		FSCM			SIZE B		No. G08-0004			SHEET NO. 7 of 19
		SURFACE FINISH								








REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED

ITEM	QTY.	DESCRIPTION	SHEET	PART NO.
37	1	RAIL CHANNEL	THIS	G08-0004-37
38	1	RAIL TUBE	THIS	G08-0004-38
.
.
.
C	AR	1 1/8"x.120 WALL 1020 HRS DOM TUBE	.	.
M	AR	STEEL, HRS SHEET .083"	.	.

NOTE:
REMOVE ALL SHARP EDGES.

FIRST 200 Bedford Street, Manchester, N H. 03101 (603) 666-3906 ♦ FAX (603) 666-3907				
REV. FROM BY DATE		TITLE		MATERIAL
UNLESS OTHERWISE SPECIFIED		2008 FIELD DIVIDER TUBES		.
TOLERANCE INCHES		DRAWN BY	DATE	CHECKED
FRACTION 1/64		JR2D2	08/09/07	-
.0 +/- .000		SIZE	B	SHEET NO.
.00 +/- .020		No. G08-0004		13 of 19
.000 +/- .015				
FSCM				







REVISIONS			
ZONE	REV	DESCRIPTION	DATE

ITEM	QTY.	DESCRIPTION	SHEET	PART NO.
39	1	OUTER RAIL TUBE	THIS	G08-0004-39
40	1	INNER RAIL TUBE	THIS	G08-0004-40
41	4	OVERPASS CONNECTOR-1	4	G08-0004-12
.
.
.
D	AR	1 1/2"x.083 WALL 1020 HRS DOM TUBE	.	.

NOTE:
REMOVE ALL SHARP EDGES.

REV.	FROM	BY	DATE
UNLESS OTHERWISE SPECIFIED			
TOLERANCE PERPENDICULAR WITHIN .			
INCHES PARALLEL .			
FRACTION 1/8 1/64			
.0 1/4 .050			
.00 1/4 .020			
.000 1/4 .015			
FSCM			


TITLE		MATERIAL	
2008 FIELD DIVIDER TUBES			
DRAWN BY	DATE	SCALE	CHECKED
JR2D2	08/09/07	1:8	-
SIZE	No. G08-0004		SHEET NO.
B			14 of 19



REVISIONS					
ZONE	REV	DESCRIPTION		DATE	APPROVED
-	-			-	--
ITEM	QTY.	DESCRIPTION	SHEET	PART NO.	
44	1	FENCE MID BASE TUBE	THIS	G08-0004-41	
45	1	FENCE END BASE TUBE	THIS	G08-0004-42	
46	2	RECEIVER TUBE	1	G08-0004-2	
.	
.	
.	
A	AR	2x6x $\frac{1}{8}$ " 6061 RECTANGULAR ALUM TUBING	.	.	

NOTE:
REMOVE ALL SHARP EDGES.

[illegible]



						FIRST				
						200 Bedford Street, Manchester, N H. 03101 (603) 666-3906 ♦ FAX (603) 666-3907				
REV.	FROM			BY	DATE					
UNLESS OTHERWISE SPECIFIED										
TOLERANCE INCHES		PERPENDICULAR WITHIN PARALLEL				2008 FIELD FENCE POSTS & RAIL				MATERIAL
FRAC. 1/4 1/64		FLAT OR STRAIGHT CONCENTRIC T.I.R.								MATERIAL
.00	.050	RADII : 1/4"		SURFACE FINISH		DRAWN BY JR2D2	DATE 08/09/07	SCALE 1:8	CHECKED —	DATE —
.00	.020	HOLES : 1/4"				SIZE B	No. G08-0004			SHEET NO. 17 of 19
.000	.015	FSCM								

